

# 斜屋頂作業安全




勞動部職業安全衛生署 關心您  
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, MINISTRY OF LABOR

# 電梯直井吊料作業安全



勞動部職業安全衛生署 關心您  
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, MINISTRY OF LABOR

# 樓板開口作業安全



勞動部職業安全衛生署 關心您  
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, MINISTRY OF LABOR

# 擋土支撐作業安全




案例：勞工行走於支撐上，因未設置安全通道及防墜設施，致勞工由高度3.5公尺之支撐上墜落至筏基板。



勞動部職業安全衛生署 關心您  
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, MINISTRY OF LABOR

# 鋼構電焊作業安全



勞動部職業安全衛生署 關心您  
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, MINISTRY OF LABOR

# 水泥會咬人 皮膚紅又爛



營造作業勞工朋友要注意，水泥中的強鹼極容易造成化學性燒傷，一旦經常直接接觸皮膚表層會受損，就很容易造成紅、腫、熱、痛、癢與潰爛的刺激性皮膚病。

水泥引起職業性皮膚病之預防方法：

1. 適當及足夠的防護：如手套、工作服、隔離霜。
2. 工作後應將身體特別是手部清潔乾淨。
3. 了解和避免接觸到各種可能潛在的過敏原
4. 混入硫化鐵以降低水泥中六價鉻的濃度。
5. 定期健康檢查，早期發現及治療、避免皮膚持續惡化。



勞動部職業安全衛生署 關心您  
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, MINISTRY OF LABOR